

Printing date 03/19/2018

Reviewed on 03/19/2018

**1 Identification**

- **Product identifier**
- **Trade name:** PX761 Part B Polyol
- **Article number:** 1025553
- **Details of the supplier of the safety data sheet** SikaAxson US - EHS Department
- **Manufacturer/Supplier:**  
Company Name: Axson Technologies US, Inc.-SikaAxson

Headquarters:  
31200 Stephenson Hwy  
Madison Heights, MI 48071  
USA

Manufacturing Site:  
1611 Hults Drive  
Eaton Rapids, MI 48827  
USA  
ehs-us@axson.com

- **Information department:** Product safety department
- **Emergency telephone number:**  
During normal opening times: +1 (248) 588-2270  
CHEMTREC 24-hour Emergency: +1 (800) 424-9300

**2 Hazard(s) identification**

- **Classification of the substance or mixture**



GHS09 Environment

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

Aquatic Acute 2 H401 Toxic to aquatic life.

- **Label elements**
- **GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS09

- **Signal word** Void
- **Hazard statements**  
Toxic to aquatic life.  
Toxic to aquatic life with long lasting effects.
- **Precautionary statements**  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Avoid release to the environment.  
Collect spillage.  
Dispose of contents/container in accordance with local/regional/national/international regulations.

(Contd. on page 2)

Printing date 03/19/2018

Reviewed on 03/19/2018

**Trade name: PX761 Part B Polyol**

(Contd. of page 1)

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



- **HMIS-ratings (scale 0 - 4)**

HEALTH	1	Health = 1
FIRE	1	Fire = 1
REACTIVITY	0	Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

### 3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Dangerous components:**

CAS: 25190-06-1	Polytetramethylene Ether Glycol	≥25-≤50%
CAS: 19900-69-7 EINECS: 243-421-7	4,4'-methylenebis(2,6-diisopropylaniline)	20-50%
CAS: 38640-62-9	Diisopropyl naphthalene	5-10%

### 4 First-aid measures

- **Description of first aid measures**
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** If symptoms persist consult doctor.
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

### 5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:** Use fire fighting measures that suit the environment.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.

(Contd. on page 3)

Printing date 03/19/2018

Reviewed on 03/19/2018

**Trade name: PX761 Part B Polyol**

(Contd. of page 2)

**· Additional information**

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

**6 Accidental release measures**
**· Personal precautions, protective equipment and emergency procedures** Not required.

**· Environmental precautions:**

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

**· Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

**· Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

**· Protective Action Criteria for Chemicals**
**· PAC-1:**

38640-62-9	Diisopropyl naphthalene	5.6 mg/m <sup>3</sup>
26896-20-8	Neodecanoic acid	6 mg/m <sup>3</sup>
78-83-1	butanol	150 ppm
98-82-8	cumene	50 ppm
100-41-4	ethylbenzene	33 ppm
1330-20-7	xylene	130 ppm

**· PAC-2:**

38640-62-9	Diisopropyl naphthalene	61 mg/m <sup>3</sup>
26896-20-8	Neodecanoic acid	66 mg/m <sup>3</sup>
78-83-1	butanol	1,300 ppm
98-82-8	cumene	300 ppm
100-41-4	ethylbenzene	1100* ppm
1330-20-7	xylene	920* ppm

**· PAC-3:**

38640-62-9	Diisopropyl naphthalene	370 mg/m <sup>3</sup>
26896-20-8	Neodecanoic acid	400 mg/m <sup>3</sup>
78-83-1	butanol	8000* ppm
98-82-8	cumene	730 ppm
100-41-4	ethylbenzene	1800* ppm
1330-20-7	xylene	2500* ppm

**7 Handling and storage**
**· Handling:**
**· Precautions for safe handling** No special precautions are necessary if used correctly.

**· Information about protection against explosions and fires:** No special measures required.

(Contd. on page 4)

Printing date 03/19/2018

Reviewed on 03/19/2018

**Trade name: PX761 Part B Polyol**

(Contd. of page 3)

- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**  
The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- **Additional information:** The lists that were valid during the creation were used as basis.
- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:** Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:**  
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.  
Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.  
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Material of gloves**  
The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**  
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

<b>Form:</b>	Liquid
<b>Color:</b>	Amber colored
- **Odor:** Light
- **Odor threshold:** Not determined.
- **pH-value:** Not determined.
- **Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
-------------------------------------	---------------

(Contd. on page 5)

US

Printing date 03/19/2018

Reviewed on 03/19/2018

Trade name: PX761 Part B Polyol

(Contd. of page 4)

<b>Boiling point/Boiling range:</b>	205 °C (401 °F)
· <b>Flash point:</b>	163 °C (325.4 °F)
· <b>Flammability (solid, gaseous):</b>	Not applicable.
· <b>Ignition temperature:</b>	
<b>Decomposition temperature:</b>	Not determined.
· <b>Auto igniting:</b>	Product is not selfigniting.
· <b>Danger of explosion:</b>	Product does not present an explosion hazard.
· <b>Explosion limits:</b>	
<b>Lower:</b>	Not determined.
<b>Upper:</b>	Not determined.
· <b>Vapor pressure:</b>	Not determined.
· <b>Density at 20 °C (68 °F):</b>	0.97 g/cm <sup>3</sup> (8.09 lbs/gal)
· <b>Relative density</b>	Not determined.
· <b>Vapor density</b>	Not determined.
· <b>Evaporation rate</b>	Not determined.
· <b>Solubility in / Miscibility with Water:</b>	Not miscible or difficult to mix.
· <b>Partition coefficient (n-octanol/water):</b>	Not determined.
· <b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
· <b>Solvent content:</b>	
<b>Organic solvents:</b>	0.5 %
<b>VOC content:</b>	0.50 %
	4.8 g/l / 0.04 lb/gl
<b>Solids content:</b>	27.8 %
· <b>Other information</b>	No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** Carbon monoxide and carbon dioxide

(Contd. on page 6)

Printing date 03/19/2018

Reviewed on 03/19/2018

Trade name: PX761 Part B Polyol

(Contd. of page 5)

## 11 Toxicological information

- Information on toxicological effects
- Acute toxicity:

- LD/LC50 values that are relevant for classification:

**19900-69-7 4,4'-methylenebis(2,6-diisopropylaniline)**

Oral	LD50	1,110 mg/kg (rat) (OECD Test Guideline 401)
------	------	---

**38640-62-9 Diisopropyl naphthalene**

Oral	LD50	>4,000 mg/kg (mouse)
------	------	----------------------

Dermal	LD50	>4,000 mg/kg (rat)
--------	------	--------------------

- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.
- Additional toxicological information:

- Carcinogenic categories

- IARC (International Agency for Research on Cancer)

98-82-8	cumene	2B
---------	--------	----

100-41-4	ethylbenzene	2B
----------	--------------	----

1330-20-7	xylene	3
-----------	--------	---

- NTP (National Toxicology Program)

98-82-8	cumene	R
---------	--------	---

- OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

## 12 Ecological information

- Toxicity

- Aquatic toxicity:

**25190-06-1 Polytetramethylene Ether Glycol**

48 hr EC50	316 mg/l (daphnia)
------------	--------------------

96 hr LC50	7.8 mg/l (Fathead minnow)
------------	---------------------------

72 or 96 hr ErC50	83.5 mg/l (Algae)
-------------------	-------------------

**38640-62-9 Diisopropyl naphthalene**

48 hr EC50	0.16 mg/l (daphnia)
------------	---------------------

96 hr LC50	0.5 mg/l (Fish)
------------	-----------------

72 or 96 hr ErC50	0.15 mg/l (Algae)
-------------------	-------------------

- Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- Ecotoxic effects:
- Remark: Toxic for fish

(Contd. on page 7)

Printing date 03/19/2018

Reviewed on 03/19/2018

**Trade name: PX761 Part B Polyol**

(Contd. of page 6)

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **Other adverse effects** No further relevant information available.

**13 Disposal considerations**

· **Waste treatment methods**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **Uncleaned packagings:**

· **Recommendation:** Disposal must be made according to official regulations.

**14 Transport information**

· **UN-Number**

· **DOT**

not regulated

· **IMDG, IATA**

UN3082

· **UN proper shipping name**

· **DOT**

not regulated

· **IMDG**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diisopropyl naphthalene, Solvent naphtha (petroleum), light arom.), MARINE POLLUTANT

· **IATA**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diisopropyl naphthalene, Solvent naphtha (petroleum), light arom.)

· **Transport hazard class(es)**

· **DOT**

· **Class**

not regulated

· **IMDG, IATA**



· **Class**

9 Miscellaneous dangerous substances and articles

· **Label**

9

· **Packing group**

· **DOT**

not regulated

(Contd. on page 8)

Printing date 03/19/2018

Reviewed on 03/19/2018

**Trade name: PX761 Part B Polyol**

(Contd. of page 7)

· <b>IMDG, IATA</b>	III
· <b>Environmental hazards:</b>	Product contains environmentally hazardous substances: Diisopropyl naphthalene
· <b>Marine pollutant:</b>	Symbol (fish and tree)
· <b>Special marking (IATA):</b>	Symbol (fish and tree)
· <b>Special precautions for user</b>	Warning: Miscellaneous dangerous substances and articles
· <b>Danger code (Kemler):</b>	90
· <b>EMS Number:</b>	F-A,S-F
· <b>Stowage Category</b>	A
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID, N.O.S. (DIISOPROPYL NAPHTHALENE, SOLVENT NAPHTHA (PETROLEUM), LIGHT AROM.), 9, III

### 15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

· Sara

 · **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

 · **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

 · **TSCA (Toxic Substances Control Act) (Substances not listed):**

All ingredients are listed.

 · **Chemicals regulated by TSCA Section 12(b)**

None of the ingredients is listed.

 · **Chemical regulated by TSCA 5(a)(2)rule:**

None of the ingredients is listed.

 · **TSCA new (21st Century Act) (Substances not listed)**

19900-69-7 | 4,4'-methylenebis(2,6-diisopropylaniline)

 · **Proposition 65**

 · **Chemicals known to cause cancer:**

98-82-8 | cumene

100-41-4 | ethylbenzene

(Contd. on page 9)



Printing date 03/19/2018

Reviewed on 03/19/2018

**Trade name: PX761 Part B Polyol**

(Contd. of page 8)

**· Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**· Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**· Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**· Carcinogenic categories**
**· EPA (Environmental Protection Agency)**

98-82-8	cumene	D, CBD
100-41-4	ethylbenzene	D
1330-20-7	xylene	I

**· TLV (Threshold Limit Value established by ACGIH)**

100-41-4	ethylbenzene	A3
1330-20-7	xylene	A4

**· NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients is listed.

**· Listed in CWC Regulations**

None of the ingredients is listed.

**· GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

**· Hazard pictograms**


GHS09

**· Signal word** Void

**· Hazard statements**

Toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

**· Precautionary statements**

Avoid release to the environment.

Collect spillage.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**· Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**· Date of preparation / last revision** 03/19/2018 / 1

**· Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

(Contd. on page 10)



BUILDING TRUST

**Safety Data Sheet**  
acc. to OSHA HCS

Printing date 03/19/2018

Reviewed on 03/19/2018

**Trade name: PX761 Part B Polyol**

(Contd. of page 9)

*IATA: International Air Transport Association*  
*ACGIH: American Conference of Governmental Industrial Hygienists*  
*EINECS: European Inventory of Existing Commercial Chemical Substances*  
*ELINCS: European List of Notified Chemical Substances*  
*CAS: Chemical Abstracts Service (division of the American Chemical Society)*  
*NFPA: National Fire Protection Association (USA)*  
*HMIS: Hazardous Materials Identification System (USA)*  
*VOC: Volatile Organic Compounds (USA, EU)*  
*LC50: Lethal concentration, 50 percent*  
*LD50: Lethal dose, 50 percent*  
*PBT: Persistent, Bioaccumulative and Toxic*  
*vPvB: very Persistent and very Bioaccumulative*  
*NIOSH: National Institute for Occupational Safety*  
*OSHA: Occupational Safety & Health*  
*TLV: Threshold Limit Value*  
*PEL: Permissible Exposure Limit*  
*REL: Recommended Exposure Limit*  
*Aquatic Acute 2: Hazardous to the aquatic environment - acute aquatic hazard – Category 2*  
*Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2*

US